INDEX TO AUTHORS.

A

Allison, Catherine B. See HUBBARD and ALLISON, 627

Alsberg, Carl L. See SAHYUN and ALSBERG, 33

Anderson, R. J., and **Roberts, E. Gilman.** The chemistry of the lipoids of tubercle bacilli. XIX. Concerning the composition of the phosphatide fraction isolated from the bovine type of tubercle bacilli, 599

— and —. XX. The occurrence of mannose and inosite in the phosphatide fractions from the human, avian, and bovine tubercle bacilli, 611

Anslow, Gladys A. See FOSTER, ANSLOW, and BARNÉS, 665

Ault, W. C. See BROWN and AULT, 167

B

Babers, Frank H., and **Goebel, Walther F.** The molecular size of the Type III specific polysaccharide of pneumococcus, 387

Baernstein, Harry D. The gasometric determination of cysteine and cystine, 125

Barnés, Dorotea. See FOSTER, ANSLOW, and BARNÉS, 665

Baumann, Emil J. See MARINE, BAUMANN, and WEBSTER, 213

Bloom, Margaret A. The effect of crude fiber on calcium and phosphorus retention, 221

Braun, Charles E. *p*-Aminophenylguanidine hydroiodide, 97

Brown, J. B., and **Ault, W. C.** A comparison of the highly unsaturated acids of beef, hog, and sheep brains, 167

C

Chambers, William H. See DANN and CHAMBERS, 675

Chanutin, Alfred. Studies on the creatine and nitrogen content of the whole rat after the feeding of a variety of diets and after nephrectomy, 765

Church, Anna E. See NORRIS and CHURCH, 421, 437, 589

Clarke, H. T., and **Inouye, J. M.** Some observations on the action of alkali upon cystine and cysteine, 399

XUM

Csonka, Frank A., Horn, Millard J., and Jones, D. Breese. Studies on glutelins. VI. The optical rotation of the glutelins of wheat, rye, barley, maize, and rice, 267

D

Dahl, S. J. See ELLIS and ZELLER, 185

Dann, Margaret, and Chambers, William H. Animal calorimetry. XL. The metabolism of glucose administered to the fasting dog, 675

Derow, M. A. See QUINN, HARTLEY, and DEROW, 657

Deuel, Harry J., Jr. On the mechanism of phlorhizin diabetes. II. The relationship between the nutritional state and the glucose tolerance, 77

— and **Gulick, Margaret.** The relation between alkali deficit and glucose tolerance in the dog, 93

Drabkin, David L., and Waggoner, C. Stanley. Hemoglobin maintenance and production upon synthetic diets, including modifications in the ethyl xanthate and Biazzo methods for copper analysis. I, 51

Dunn, Max S., and Smart, B. W. A new synthesis of aspartic acid, 41

E

Edsall, John T. Studies in the physical chemistry of muscle globulin. II. On some physicochemical properties of muscle globulin (myosin), 289

—. See VON MURALT and EDSALL, 315, 351

Ellis, N. R., and Zeller, J. H. Soft pork studies. IV. The influence of a ration low in fat upon the composition of the body fat of hogs, 185

Evenden, James. See DANN and CHAMBERS, 675

F

Fischer, Earl K. Oxidation-reduction potentials of certain sulfhydryl compounds, 753

Foster, Mary Louise, Anslow, Gladys A., and Barnés, Dorotea. A study of some of the chemical characteristics and the absorption spectrum of cystine, 665

G

Gaebler, Oliver Henry. Further studies of blood creatinine, 451

Goebel, Walther F. The preparation of the type-specific polysaccharides of pneumococcus, 395

—. See BABERS and GOEBEL, 387

Grant, Rhoda. See LONG and GRANT, 553

Greenwald, Isidor. The nature of the sugar in four cases of pentosuria. A correction, 501

Guerrant, N. B., and **Salmon, W. D.** The stability of vitamin G as measured by its growth-stimulating effect, 199

Gulick, Margaret. See DEUEL, 77

—. See DEUEL and GULICK, 93

H

Harding, Victor John, and **Moberley, Olga.** Urinary galactose in men and women after the ingestion of galactose, 535

Hartley, J. G. See QUINN, HARTLEY, and DEROW, 657

Haury, Victor G. The calcium content of striated muscle of rachitic animals, 467

Hicks, Joseph S. See RISING, HICKS, and MOERKE, 1

Hodes, Horace L. See JONES, RAPOPORT, and HODES, 647

Horn, Millard J. See CSONKA, HORN, and JONES, 267

Hubbard, Roger S., and **Allison, Catherine B.** An apparent effect of normal variations in the respiratory rate upon the excretion of chloride and water, 627

I

Inouye, J. M. See CLARKE and INOUYE, 399

J

Johnson, J. M., and **Voegtlin, Carl.** Arsenic derivatives of cysteine, 27

Jones, D. Breese. See CSONKA, HORN, and JONES, 267

Jones, James H., Rapoport, Milton, and **Hodes, Horace L.** The source of excess calcium in hypercalcemia induced by irradiated ergosterol, 647

K

Kay, H. D. Plasma phosphatase. I. Method of determination. Some properties of the enzyme, 235

—. II. The enzyme in disease, particularly in bone disease, 249

Krauss, W. E., and **Monroe, C. F.** A comparison of the influence of iodized milk and of potassium iodide administered directly, on the size and iodine content of the thyroid gland of rats, 581

L

Langley, Wilson D., and **Weber, Richard J.** Metabolism of amines. II. Dimethylamine, 567

Lavine, Theodore F. See TOENNIES and LAVINE, 153

Levene, P. A., and **Raymond, Albert L.** Hexosemonophosphates. Glucose-3-phosphate, glucose-6-phosphate and their bearing on the structure of Robison's ester, 479

— and **Stevens, P. G.** The hydrogenation of methylphenyl and methylbenzyl carbinols. With a note on the reduction of phenylated carbinols, 471

XUM

Levy, Milton. The preparation and some properties of the crystalline methemoglobin of the horse, 173

Lewis, Robert C. See WILLIAMS and LEWIS, 275

Liu, S. H. See SENDROY and LIU, 133

Long, C. N. H., and Grant, Rhoda. The recovery process after exercise in the mammal. I. Glycogen resynthesis in the fasted rat, 553

M

Marine, David, Baumann, Emil J., and Webster, Bruce. The relative amounts of iodine-absorbing (reducing) material in various plants, 213

Moberley, Olga. See HARDING and MOBERLEY, 535

Moerke, Georgine A. See RISING, HICKS, and MOERKE, 1

Monroe, C. F. See KRAUSS and MONROE, 581

von Muralt, Alexander L., and Edsall, John T. Studies in the physical chemistry of muscle globulin. III. The anisotropy of myosin and the angle of isocline, 315

— and —. IV. The anisotropy of myosin and double refraction of flow, 351

N

Norris, Earl R., and Church, Anna E. A study of the antimony trichloride color reaction for vitamin A. III. The effect of concentration of reagent used, and the stability of the chromogenic substance to light, 421

— and —. IV. The source of vitamin B complex in the biological assay of vitamin A and the stability of vitamin A and of the chromogenic substance in various diluting oils, 589

— and —. The toxic effect of fish liver oils, and the action of vitamin B, 437

P

Powell, Maude. The metabolism of tricaprylin and trilaurin, 547

Preisler, Doris B. See PREISLER and PREISLER, 631

Preisler, Paul W., and Preisler, Doris B. Quantitative analytical study of the simultaneous production of thiol acids (R-S-H) and sulfonic acids ($R\text{-}SO_3\text{-}H$) from dithio acids (R-S-S-R) by silver sulfate, 631

Q

Quinn, E. J., Hartley, J. G., and Derow, M. A. Some observations on the behavior of vitamin A in or from primary sources, 657

R

Rapoport, Milton. See JONES, RAPOPORT, and HODES, 647

Raymond, Albert L. See LEVENE and RAYMOND, 479

Renfrew, Alice G. The chemical study of bacteria. The presence of *d*-mannose and *d*-arabinose in a complex carbohydrate isolated from the culture medium after the growth of tubercle bacilli, 619

Rising, Mary M., Hicks, Joseph S., and **Moerke, Georgine A.** The biuret reaction. II. The biuret reaction of di-acid amides, 1

Roberts. E. Gilman. See ANDERSON and ROBERTS, 599, 611

Rose, William C. See SCULL and ROSE, 109

S

Sahyun, Melville, and **Alsberg, Carl L.** On rabbit liver glycogen and its preparation, 33

Salmon, W. D. See GUERRANT and SALMON, 199

Schelling, Victor. Observations on the serum calcium, proteins, and inorganic phosphorus in experimental vitamin B deficiency and inanition, 575

Scull, C. Wesler, and **Rose, William C.** Arginine metabolism. I. The relation of the arginine content of the diet to the increments in tissue arginine during growth, 109

Sendroy, Julius, Jr., and **Liu, S. H.** Gasometric determination of oxygen and carbon monoxide in blood, 133

Smart, B. W. See DUNN and SMART, 41

Smith, H. P., and **Whipple, G. H.** Bile salt metabolism. V. Casein, egg albumin, egg yolk, blood, and meat proteins as diet factors, 689

— and —. VII. Indene, hydrindene, and isatin, 719

— and —. IX. Eck fistula modifies bile salt output, 739

—. See WHIPPLE and SMITH, 705, 727

Spoehr, H. A., and **Strain, Harold H.** The effect of weak alkalies on the trioses and on methylglyoxal, 503

—. See STRAIN and SPOEHR, 527

Stevens, P. G. See LEVENE and STEVENS, 471

Strain, Harold H., and **Spoehr, H. A.** The effect of amines on the conversion of trioses into methylglyoxal, 527

—. See SPOEHR and STRAIN, 503

T

Toennies, Gerrit, and **Lavine, Theodore F.** On the optical rotation of *l*-cystine. Determination of its value for the sodium and mercury lines and of the temperature factor, 153

V

Voegtlin, Carl. See JOHNSON and VOEGTLIN, 27

W

Waggoner, C. Stanley. See DRABKIN and WAGGONER, 51

XUM

Weber, Richard J. See LANGLEY and WEBER, 567
Webster, Bruce. See MARINE, BAUMANN, and WEBSTER, 213
Whipple, G. H., and **Smith, H. P.** Bile salt metabolism. VI. Proline, tryptophane, and glycine in diet, 705
— and —. VIII. Liver injury and liver stimulation, 727
—. See SMITH and WHIPPLE, 689, 719, 739
Williams, George Z., and **Lewis, Robert C.** Evidence for the presence of a third factor in the vitamin B complex of yeast, 275

Y

Young, William G. See SPOEHR and STRAIN, 503

Z

Zeller, J. H. See ELLIS and ZELLER, 185

INDEX TO SUBJECTS.

A

Absorption spectrum:
Cystine (Foster, Anslow, and Barnés) 665

Acid(s):
Fatty. *See* Fatty acids.

Albumin:
Egg, bile salt metabolism effect (Smith and Whipple) 689

Alkali:
Deficit, glucose tolerance and (Deuel and Gulick) 93

Amide:
Di-acid, biuret reaction (Rising, Hicks, and Moerke) 1

Amine(s):
Dimethyl-, metabolism (Langley and Weber) 567
Metabolism. II (Langley and Weber) 567
Triose conversion to methylglyoxal, effect (Strain and Spoehr) 527

***p*-Aminophenylguanidine hydroiodide:**
(Braun) 97

Angle of isocline:
Myosin (von Muralt and Edsall) 315

Anisotropy:
Myosin (von Muralt and Edsall) 315, 351

Antimony trichloride:
Vitamin A, color reaction. III (Norris and Church) 421
— —, — —. IV (Norris and Church) 589
— —, — —, reagent concentration effect (Norris and Church) 421

***d*-Arabinose:**
Tubercle bacillus culture medium, carbohydrate (Renfrew) 619

Arginine:
Diet, tissue arginine, growth, relation (Scull and Rose) 109
Metabolism. I (Scull and Rose) 109
Tissue, arginine diet, growth, relation (Scull and Rose) 109

Arsenic:
Derivatives, cysteine (Johnson and Voegtlin) 27

Aspartic acid:
Synthesis (Dunn and Smart) 41

B

Bacillus:
Tubercle. *See* Tubercle bacillus.

Bacteria:
Chemistry (RENFREW) 619

Barley:
Glutelin, optical rotation (CSONKA, HORN, and JONES) 267

Biazzo:
Copper analysis, modified method. I (DRABKIN and WAGGONER) 51

Bile salt:
Metabolism. V (SMITH and WHIPPLE) 689
—. VI (WHIPPLE and SMITH) 705
—. VII (SMITH and WHIPPLE) 719
—. VIII (WHIPPLE and SMITH) 727
—. IX (SMITH and WHIPPLE) 739
—, blood protein effect (SMITH and WHIPPLE) 689
—, casein effect (SMITH and WHIPPLE) 689
—, egg albumin effect (SMITH and WHIPPLE) 689
—, — yolk protein effect (SMITH and WHIPPLE) 689
—, glycine effect (WHIPPLE and SMITH) 705
—, hydrindene effect (SMITH and WHIPPLE) 719

Bile salt—*continued:*
Metabolism, indene effect (SMITH and WHIPPLE) 719
—, isatin effect (SMITH and WHIPPLE) 719
—, liver injury effect (WHIPPLE and SMITH) 727
—, — stimulation effect (WHIPPLE and SMITH) 727
—, meat protein effect (SMITH and WHIPPLE) 689
—, proline effect (WHIPPLE and SMITH) 705
—, tryptophane effect (WHIPPLE and SMITH) 705
Output, Eck fistula effect (SMITH and WHIPPLE) 739

Biological assay:
Vitamin A, vitamin B complex source (NORRIS and CHURCH) 589

Biuret reaction:
II (RISING, HICKS, and MOERKE) 1
Di-acid amides (RISING, HICKS, and MOERKE) 1

Blood:
Carbon monoxide determination, gasometric (SENDROY and LIU) 133
Creatinine (GAEBLER) 451
Oxygen determination, gasometric (SENDROY and LIU) 133
Protein, bile salt metabolism effect (SMITH and WHIPPLE) 689

Blood plasma:
Phosphatase. I (KAY) 235
—. II (KAY) 249
—, bone disease (Kay) 249
— determination (KAY) 235
— properties (KAY) 235
Blood serum:
Calcium, inanition (SCHELLING) 575
—, vitamin B deficiency (SCHELLING) 575
Phosphorus, inorganic, inanition (SCHELLING) 575
—, —, vitamin B deficiency (SCHELLING) 575
Proteins, inanition (SCHELLING) 575
—, vitamin B deficiency (SCHELLING) 575
Bone:
Disease, phosphatase, blood plasma (KAY) 249
Brain:
Fatty acids, unsaturated, highly, beef (BROWN and AULT) 167
— —, —, —, hog (BROWN and AULT) 167
— —, —, —, sheep (BROWN and AULT) 167

C

Calcium:
Blood serum, inanition (SCHELLING) 575
— —, vitamin B deficiency (SCHELLING) 575
Calcium—*continued:*
Ergosterol, irradiated, hypercalcemia, source (JONES, RAPOPORT, and HODES) 647
Muscle, striated, rickets (HAURY) 467
Retention, crude fiber effect (BLOOM) 221
Calorimetry:
Animal. XL (DANN and CHAMBERS) 675
Caprylin:
Tri-, metabolism (POWELL) 547
Carbinol:
Methylbenzyl, hydrogenation (LEVENE and STEVENS) 471
Methylphenyl, hydrogenation (LEVENE and STEVENS) 471
Phenylated, reduction (LEVENE and STEVENS) 471
Carbohydrate:
Tubercle bacillus culture medium, *d*-arabinose in (RENFREW) 619
— — — —, *d*-mannose in (RENFREW) 619
Carbon monoxide:
Blood, determination, gasometric (SENDROY and LIU) 133
Determination, gasometric, blood (SENDROY and LIU) 133
Casein:
Bile salt metabolism effect (SMITH and WHIPPLE) 689

Chemical constitution:
Robison ester (LEVENE and RAYMOND) 479
Chloride:
Excretion, respiratory rate variation effect (HUBBARD and ALLISON) 627
Copper:
Determination, Biazzo method, modified. I (DRABKIN and WAGGONER) 51
—, ethyl xanthate method, modified. I (DRABKIN and WAGGONER) 51
Creatine:
Diet effect, rat (CHANUTIN) 765
Nephrectomy effect, rat (CHANUTIN) 765
Creatinine:
Blood (GAEBLER) 451
Crude fiber:
Calcium retention, effect (BLOOM) 221
Phosphorus retention, effect (BLOOM) 221
Cysteine:
Alkali action (CLARKE and INOUYE) 399
Arsenic derivatives (JOHNSON and VOEGTLIN) 27
Determination, gasometric (BAERNSTEIN) 125
Cystine:
Absorption spectrum (FOSTER, ANSLOW, and BARNÉS) 665
Alkali action (CLARKE and INOUYE) 399
Cystine—*continued:*
Chemical properties (FOSTER, ANSLOW, and BARNÉS) 665
Determination, gasometric (BAERNSTEIN) 125
***l*-Cystine:**
Optical rotation (TOENNIES and LAVINE) 153

D

Diabetes:
Phlorhizin, glucose tolerance and nutrition (DEUEL) 77
—, mechanism. II (DEUEL) 77
—, nutrition and glucose tolerance (DEUEL) 77
Diet:
Arginine, tissue arginine, growth, relation (SCULL and ROSE) 109
Creatine content of rat, effect (CHANUTIN) 765
Nitrogen content of rat, effect (CHANUTIN) 765
Synthetic, hemoglobin maintenance. I (DRABKIN and WAGGONER) 51
—, — production. I (DRABKIN and WAGGONER) 51
Dimethylamine:
Metabolism (LANGLEY and WEBER) 567
Dithio acid(s):
Sulfonic and thiol acids, production by silver sulfate (PREISLER and PREISLER) 631

Dithio acid(s)—*continued:*
Thiol and sulfonic acids, production by silver sulfate (PREISLER and PREISLER) 631

E

Eck fistula:
Bile salt output effect (SMITH and WHIPPLE) 739

Egg:
Albumin, bile salt metabolism effect (SMITH and WHIPPLE) 689
Yolk, protein, bile salt metabolism effect (SMITH and WHIPPLE) 689

Enzyme:
See also Phosphatase.

Ergosterol:
Irradiated, hypercalcemia, calcium source (JONES, RAPOPORT, and HODES) 647

Ethyl xanthate:
Copper analysis, modification. I (DRABKIN and WAGGONER) 51

Excretion:
Chloride, respiratory rate variation effect (HUBBARD and ALLISON) 627
Water, respiratory rate variation effect (HUBBARD and ALLISON) 627

Exercise:
Glycogen resynthesis, fasted rat, effect (LONG and GRANT) 553
Recovery process, mammal. I (LONG and GRANT) 553

F

Fasting:
Glucose metabolism, effect (DANN and CHAMBERS) 675
Glycogen resynthesis, exercise effect (LONG and GRANT) 553

Fat:
Body, fat-low ration, influence (ELLIS and ZELLER) 185
-Low ration, body fat influence (ELLIS and ZELLER) 185

Fatty acid(s):
Brain, unsaturated, highly, beef (BROWN and AULT) 167
—, —, —, hog (BROWN and AULT) 167
—, —, —, sheep (BROWN and AULT) 167
Unsaturated, highly, brain, beef (BROWN and AULT) 167
—, —, —, hog (BROWN and AULT) 167
—, —, —, sheep (BROWN and AULT) 167

Fish:
Liver oils, toxic effect (NORRIS and CHURCH) 437
— —, —, — and vitamin B (NORRIS and CHURCH) 437

Flow:
Double refraction, myosin (VON MURALT and EDSALL) 351

XUM

G

Galactose:
Urine, galactose ingestion effect (HARDING and MOBERLEY) 535
Globulin:
Muscle, physical chemistry. II (EDSALL) 289
—, — —. III (VON MURALT and EDSALL) 315
—, — —. IV (VON MURALT and EDSALL) 351
—, physicochemical properties (EDSALL) 289
Glucose:
Metabolism, fasting effect (DANN and CHAMBERS) 675
Tolerance, alkali deficit and (DEUEL and GULICK) 93
—, phlorhizin diabetes, nutrition and (DEUEL) 77
Glucose-3-phosphate:
Robison ester, structure relation (LEVENE and RAYMOND) 479
Glucose-6-phosphate:
Robison ester, structure relation (LEVENE and RAYMOND) 479
Glutelin(s):
VI (CSONKA, HORN, and JONES) 267
Barley, optical rotation (CSONKA, HORN, and JONES) 267
Maize, optical rotation (CSONKA, HORN, and JONES) 267
Glutelin(s)—*continued:*
Rice, optical rotation (CSONKA, HORN, and JONES) 267
Rye, optical rotation (CSONKA, HORN, and JONES) 267
Wheat, optical rotation (CSONKA, HORN, and JONES) 267
Glycine:
Bile salt metabolism effect (WHIPPLE and SMITH) 705
Glycogen:
Liver (SAHYUN and ALSBERG) 33
—, preparation (SAHYUN and ALSBERG) 33
Resynthesis, fasted rat, exercise effect (LONG and GRANT) 553
Growth:
Arginine in diet and tissue, relation (SCULL and ROSE) 109
Guanidine:
p-Aminophenyl-, hydroiodide (BRAUN) 97

H

Hemoglobin:
Maintenance, synthetic diets. I (DRABKIN and WAGGONER) 51
Production, synthetic diets. I (DRABKIN and WAGGONER) 51
Hexosemonophosphate:
(LEVENE and RAYMOND) 479

Hydrindene:
Bile salt metabolism effect (SMITH and WHIPPLE) 719

Hypercalcemia:
Ergosterol, irradiated, calcium source (JONES, RAPOPORT, and HODES) 647

I

Inanition:
Blood serum calcium (SCHELLING) 575
— — inorganic phosphorus (SCHELLING) 575
— — proteins (SCHELLING) 575

Indene:
Bile salt metabolism effect (SMITH and WHIPPLE) 719

Inosite:
Tubercle bacillus, phosphatide fraction, avian (ANDERSON and ROBERTS) 611
— —, — —, bovine (ANDERSON and ROBERTS) 611
— —, — —, human (ANDERSON and ROBERTS) 611

Iodine:
-Absorbing material, plants (MARINE, BAUMANN, and WEBSTER) 213
Milk, thyroid gland iodine, effect (KRAUSS and MONROE) 581
—, — — size, effect (KRAUSS and MONROE) 581

Iodine—*continued:*
Thyroid gland, iodized milk effect (KRAUSS and MONROE) 581

Irradiation:
Ergosterol, hypercalcemia, calcium source (JONES, RAPOPORT, and HODES) 647

Isatin:
Bile salt metabolism effect (SMITH and WHIPPLE) 719

L

Laurin:
Tri-, metabolism (POWELL) 547

Light:
Vitamin A chromogenic substance, effect (NORRIS and CHURCH) 421

Lipoid:
Tubercle bacillus, avian, inosite in phosphatide fraction (ANDERSON and ROBERTS) 611
— —, —, mannose in phosphatide fraction (ANDERSON and ROBERTS) 611
— —, bovine, inosite in phosphatide fraction (ANDERSON and ROBERTS) 611
— —, —, mannose in phosphatide fraction (ANDERSON and ROBERTS) 611
— —, —, phosphatide fraction (ANDERSON and ROBERTS) 599

XUM

Lipoid—*continued:*
Tubercle bacillus, chemistry. XIX (ANDERSON and ROBERTS) 599
— —, —. XX (ANDERSON and ROBERTS) 611
— —, human, inosite in phosphatide fraction (ANDERSON and ROBERTS) 611
— —, —, mannose in phosphatide fraction (ANDERSON and ROBERTS) 611

Liver:
Glycogen (SAHYUN and ALSBERG) 33
—, preparation (SAHYUN and ALSBERG) 33
Injury, bile salt metabolism effect (WHIPPLE and SMITH) 727
Oils, fish, toxic effect (NORRIS and CHURCH) 437
—, —, — — and vitamin B (NORRIS and CHURCH) 437
Stimulation, bile salt metabolism effect (WHIPPLE and SMITH) 727

M

Maize:
Glutelin, optical rotation (CSONKA, HORN, and JONES) 267

Mannose:
Tubercle bacillus, phosphatide fraction, avian (ANDERSON and ROBERTS) 611
Tubercle bacillus, phosphatide fraction, bovine (ANDERSON and ROBERTS) 611
— —, — —, human (ANDERSON and ROBERTS) 611

***d*-Mannose:**
Tubercle bacillus culture medium, carbohydrate (RENFREW) 619

Meat:
Protein, bile salt metabolism effect (SMITH and WHIPPLE) 689

Metabolism:
Amines. II (LANGLEY and WEBER) 567
Arginine. I (SCULL and ROSE) 109
Bile salt. V (SMITH and WHIPPLE) 689
— —. VI (WHIPPLE and SMITH) 705
— —. VII (SMITH and WHIPPLE) 719
— —. VIII (WHIPPLE and SMITH) 727
— —. IX (SMITH and WHIPPLE) 739
— —, blood protein effect (SMITH and WHIPPLE) 689
— —, casein effect (SMITH and WHIPPLE) 689
— —, egg albumin effect (SMITH and WHIPPLE) 689
— —, — yolk protein effect (SMITH and WHIPPLE) 689

Metabolism—*continued:*
Bile salt, glycine effect (WHIPPLE and SMITH) 705
— —, hydrindene effect (SMITH and WHIPPLE) 719
— —, indene effect (SMITH and WHIPPLE) 719
— —, isatin effect (SMITH and WHIPPLE) 719
— —, liver injury effect (WHIPPLE and SMITH) 727
— —, — stimulation effect (WHIPPLE and SMITH) 727
— —, meat protein effect (SMITH and WHIPPLE) 689
— —, proline effect (WHIPPLE and SMITH) 705
— —, tryptophane effect (WHIPPLE and SMITH) 705
Dimethylamine (LANGLEY and WEBER) 567
Glucose, fasting effect (DANN and CHAMBERS) 675
Tricaprylin (POWELL) 547
Trilaurin (POWELL) 547
Methemoglobin:
Crystalline, preparation (LEVY) 173
—, properties (LEVY) 173
Methylbenzyl carbinol:
Hydrogenation (LEVENE and STEVENS) 471
Methylglyoxal:
Alkali, weak, effect (SPOEHR and STRAIN) 503
Triose conversion, amines effect (STRAIN and SPOEHR) 527
Methylphenyl carbinol:
Hydrogenation (LEVENE and STEVENS) 471
Milk:
Iodized, thyroid gland iodine, effect (KRAUSS and MONROE) 581
—, — — size, effect (KRAUSS and MONROE) 581
Molecular size:
Polysaccharide, pneumococcus, Type III (BABERS and GOEBEL) 387
Muscle:
Calcium, rickets, striated (HAURY) 467
Globulin, physical chemistry. II (EDSALL) 289
—, — —. III (VON MURALT and EDSALL) 315
—, — —. IV (VON MURALT and EDSALL) 351
—, physicochemical properties (EDSALL) 289
Rickets, calcium, striated (HAURY) 467
Myosin:
Angle of isocline (VON MURALT and EDSALL) 315
Anisotropy (VON MURALT and EDSALL) 315, 351

Myosin—*continued:*
Double refraction of flow (VON MURALT and EDSALL) 351
Muscle globulin, physicochemical properties (EDSALL) 289

N

Nephrectomy:
Creatine, rat, effect (CHANUTIN) 765
Nitrogen, rat, effect (CHANUTIN) 765
Nitrogen:
Diet effect, rat (CHANUTIN) 765
Nephrectomy effect, rat (CHANUTIN) 765
Nutrition:
Phlorhizin diabetes, glucose tolerance and (DEUEL) 77

O

Oil:
Liver, fish, toxic effect (NORRIS and CHURCH) 437
—, —, — and vitamin B (NORRIS and CHURCH) 437
Vitamin A chromogenic substance, stability (NORRIS and CHURCH) 589
— — stability (NORRIS and CHURCH) 589
Optical rotation:
l-Cystine (TOENNIES and LAVINE) 153
Glutelin, barley (CSONKA, HORN, and JONES) 267
Optical rotation—*continued:*
Glutelin, maize (CSONKA, HORN, and JONES) 267
—, rice (CSONKA, HORN, and JONES) 267
—, rye (CSONKA, HORN, and JONES) 267
—, wheat (CSONKA, HORN, and JONES) 267
Oxidation-reduction:
Potentials, sulfhydryl compounds (FISCHER) 75
Oxygen:
Blood, determination, gasometric (SENDROY and LIU) 133
Determination, gasometric, blood (SENDROY and LIU) 133

P

Pentosuria:
Sugar, nature (GREENWALD) 501
Phlorhizin:
Diabetes, glucose tolerance and nutrition (DEUEL) 77
—, mechanism. II (DEUEL) 77
—, nutrition and glucose tolerance (DEUEL) 77
Phosphatase:
Blood plasma. I (KAY) 235
— —. II (KAY) 249
— —, bone disease (KAY) 249
— —, determination (KAY) 235
— —, properties (KAY) 235

Phosphatase—*continued:*
Determination, blood plasma (KAY) 235
Phosphatide:
Tubercle bacillus, avian, inosite in (ANDERSON and ROBERTS) 611
— —, —, mannose in (ANDERSON and ROBERTS) 611
— —, bovine (ANDERSON and ROBERTS) 599
— —, —, inosite in (ANDERSON and ROBERTS) 611
— —, —, mannose in (ANDERSON and ROBERTS) 611
— —, human, inosite in (ANDERSON and ROBERTS) 611
— —, —, mannose in (ANDERSON and ROBERTS) 611
Phosphorus:
Inorganic, blood serum, inanition (SCHELLING) 575
—, — —, vitamin B deficiency (SCHELLING) 575
Retention, crude fiber effect (BLOOM) 221
Plant:
Iodine-absorbing material (MARINE, BAUMANN, and WEBSTER) 213
Reducing material (MARINE, BAUMANN, and WEBSTER) 213
Pneumococcus:
Polysaccharides, type-specific, preparation (GOEBEL) 395
Pneumococcus—*continued:*
Type III, specific polysaccharide, molecular size (BABERS and GOEBEL) 387
Polysaccharide:
Specific, pneumococcus Type III, molecular size (BABERS and GOEBEL) 387
Type-specific, pnemococcus, preparation (GOEBEL) 395
Pork:
Soft. IV (ELLIS and ZELLER) 185
Potassium iodide:
Thyroid gland iodine, effect (KRAUSS and MONROE) 581
— — size, effect (KRAUSS and MONROE) 581
Potential:
Oxidation-reduction, sulfhydryl compounds (FISCHER) 753
Proline:
Bile salt metabolism effect (WHIPPLE and SMITH) 705
Protein(s):
Blood in diet, bile salt metabolism effect (SMITH and WHIPPLE) 689
— serum, inanition (SCHELLING) 575
— —, vitamin B deficiency (SCHELLING) 575
Egg yolk, bile salt metabolism effect (SMITH and WHIPPLE) 689

XUM

Protein(s)—*continued:*
Meat, bile salt metabolism effect (SMITH and WHIPPLE) 689

R

Ration:
Fat-low, fat, body, influence (ELLIS and ZELLER) 185
Recovery:
Exercise, mammal. I (LONG and GRANT) 553
Respiration:
Rate variations, chloride excretion, effect (HUBBARD and ALLISON) 627
— —, water excretion, effect (HUBBARD and ALLISON) 627
Retention:
Calcium, crude fiber effect (BLOOM) 221
Phosphorus, crude fiber effect (BLOOM) 221
Rice:
Glutelin, optical rotation (CSONKA, HORN, and JONES) 267
Rickets:
Muscle calcium, striated (HAURY) 467
Robison:
Ester, glucose-3-phosphate, structure relation (LEVENE and RAYMOND) 479
—, glucose-6-phosphate, structure relation (LEVENE and RAYMOND) 479
Rye:
Glutelin, optical rotation (CSONKA, HORN, and JONES) 267

S

Silver sulfate:
Sulfonic and thiol acids, production from dithio acids by (PREISLER and PREISLER) 631
Thiol and sulfonic acids, production from dithio acids (PREISLER and PREISLER) 631
Sugar:
Pentosuria, nature (GREENWALD) 501
Sulfhydryl:
Compounds, oxidation-reduction potentials (FISCHER) 753
Sulfonic acid(s):
Thiol acids and, from dithio acids (PREISLER and PREISLER) 631

T

Thiol acid(s):
Sulfonic acids and, from dithio acids (PREISLER and PREISLER) 631
Thyroid:
Gland, iodine, iodized milk effect (KRAUSS and MONROE) 581
—, —, potassium iodide effect (KRAUSS and MONROE) 581
—, size, iodized milk effect (KRAUSS and MONROE) 581

XUM

Thyroid—*continued:*
Gland, size, potassium iodide effect (KRAUSS and MONROE) 581
Tissue:
Arginine, diet arginine, growth, relation (SCULL and ROSE) 109
Tolerance:
Glucose, alkali deficit and (DEUEL and GULICK) 93
—, phlorhizin diabetes, nutrition and (DEUEL) 77
Tricaprylin:
Metabolism (POWELL) 547
Trilaurin:
Metabolism (POWELL) 547
Triose:
Alkali, weak, effect (SPOEHR and STRAIN) 503
Methylglyoxal, conversion, amine effect (STRAIN and SPOEHR) 527
Tryptophane:
Bile salt metabolism effect (WHIPPLE and SMITH) 705
Tubercle bacillus:
Avian, inosite in phosphatide fraction (ANDERSON and ROBERTS) 611
—, mannose in phosphatide fraction (ANDERSON and ROBERTS) 611
Bovine, inosite in phosphatide fraction (ANDERSON and ROBERTS) 611
—, mannose in phosphatide fraction (ANDERSON and ROBERTS) 611
Tubercle bacillus—*continued:*
Bovine, phosphatide fraction (ANDERSON and ROBERTS) 599
Culture medium, *d*-arabinose in carbohydrate of (RENFREW) 619
— —, *d*-mannose in carbohydrate of (RENFREW) 619
Human, inosite in phosphatide fraction (ANDERSON and ROBERTS) 611
—, mannose in phosphatide fraction (ANDERSON and ROBERTS) 611
Lipoids, chemistry. XIX (ANDERSON and ROBERTS) 599
—, —. XX (ANDERSON and ROBERTS) 611
Phosphatide fraction, bovine (ANDERSON and ROBERTS) 599

U

Urine:
Galactose, galactose ingestion effect (HARDING and MOBERLEY) 535

V

Vitamin(s):
A, antimony trichloride color reaction. III (NORRIS and CHURCH) 421
—, — — — reaction. IV (NORRIS and CHURCH) 589
— behavior, primary sources (QUINN, HARTLEY, and DEROW) 657

Vitamin(s)—*continued:*
A biological assay, vitamin B complex source (NORRIS and CHURCH) 589
—, chromogenic substance, light effect (NORRIS and CHURCH) 421
—, — — stability, oils (NORRIS and CHURCH) 589
—, color reaction, antimony trichloride. III (NORRIS and CHURCH) 421
—, — —, — trichloride. IV (NORRIS and CHURCH) 589
— stability, oils (NORRIS and CHURCH) 589
B complex source, vitamin A biological assay (NORRIS and CHURCH) 589
— —, third factor, yeast (WILLIAMS and LEWIS) 275
— deficiency, blood serum calcium (SCHELLING) 575
Vitamin(s)—*continued:*
B deficiency, blood serum inorganic phosphorus (SCHELLING) 575
— —, — — proteins (SCHELLING) 575
—, fish liver oils, toxic effect and (NORRIS and CHURCH) 437
G stability, growth-stimulating effect as measure (GUERRANT and SALMON) 199

W

Water:
Excretion, respiratory rate variation effect (HUBBARD and ALLISON) 627
Wheat:
Glutelin, optical rotation (CSONKA, HORN, and JONES) 267

Y

Yeast:
Vitamin B complex, third factor (WILLIAMS and LEWIS) 275

erum
orus
575
HEL-
575
ffect
RCH)
437
mu-
sure
ION)
199

rate
ARD
627

tion
and
267

hird
and
275

XUM